



Silicone rubber FDA

Viking Blue

Colour: blue
 Finish: both sides smooth
 Temperature range: -90 to +200°C

Features: good temperature resistance • Food quality according to FDA 21 CFR 177.2600 and EC 1935/2004 • fully "post cured" • Poorly resistant to fuels

Application: versatile for general purposes

		Test method
Specific gravity grs/cm ³	1,20	DIN 53508
Hardness shore A ± 5°	60	DIN 53505
Tensile strength Mpa	6	DIN 53504
Elongation at break %	200	DIN 53504
Compression set at 70°C for 22 hours %	20	DIN 53517

Thickness (mm)	No. of insertions	Width (mtr)	Length (mtr)	Article no.
1	0	1,20	10	SI60120B 1/0
1,5	0	1,20	10	SI60120B 1,5/0
2	0	1,20	10	SI60120B 2/0
3	0	1,20	10	SI60120B 3/0
4	0	1,20	10	SI60120B 4/0
5	0	1,20	10	SI60120B 5/0
6	0	1,20	10	SI60120B 6/0
8	0	1,20	5	SI60120B 8/0
10	0	1,20	5	SI60120B 10/0
12	0	1,20	5	SI60120B 12/0