FIX'N GO® PATCH







FIX'N GO® WHAT IS IT?

The unique solution to repair, easily and provide a quick and permanent solution for your conveyor belts.

The repair patch quick to install

FIX'N GO® is an innovative and quick solution to repair rips or damages on conveyor belts.

Made with a strengthened fabric and a rubber with a very high abrasion index of 50mm3, **FIX'N GO®** offers a higher protection against frictions and wear than your conveyor belt used, without impacting its flexibility, resistance to elongation and tensile strength.

By repairing your belt with **FIX'N GO®**, you use a permanent solution with no need to replace it in the future.

The MLT specific screws are self-drilling and selftapping : the carcass threads are spread without being cut.


The FIX'N GO® repair patch:

- used for longitudinal rips, belt edge snags, impacts, holes,
- even allows two belts to be spliced longitudinally,
- can be used for multi-ply and monoply belts up to 1250 N/mm,
- is available in 2 versions: galvanized steel or stainless steel
- Quick and easy to install on all types of belts









FIX'N GO® IN ALL APPLICATIONS

Quick and easy to install on all types of belts

THE ADVANTAGES

╬

- High resistant product against rip and regular impacts.
- Easy and quick installation.
- No need for specialised tools, just a powered driver and a belt skiver are necessary.
- Compatible with small pulley diameter.
- A unique product for all your belts and all your repairs.

- Installation regardless of the access conditions, weather conditions (rain, snow, wind, cold weather...) during the day or the night.
- Safe product: no need of dangerous products like adhesives or chemical products harmful to health.
- Compatible with belt scrapers or cleaners.

Application fields



Heavy industries



Mines



Cement plants



Quarries and surface mines

Versions of rubber available

ABRASION RESISTANT

FIX'N GO®, made with abrasion resistant rubber can be used in almost all applications.

FIRE-RESISTANT

FIX'N GO®, fabricated with a fire-resistant covering ISO 340 and ISO 284 is a security for you in your mines and silos.

HEAT RETARDANT

FIX'N GO® is suitable with your heat retardant belts and can resist up to 170°C and up to 200°C flash.

OIL RESISTANT

FIX'N GO® is also available with an oil resistant covering which resists against oils and solvents.





INSTALLATION TOOLS



Cordless tool kit with skiver and driver

This pack provides you with ready-to-use tools to install most **MLT**, products, including the **FIX'N GO®**, consisting of :

A cordless belt skiver and accessories,

A cordless powered driver and accessories,

PPE, etc.

With a total of 17 elements included in the pack, you will be able to complete your installations easily in record time.



For any support in the installation of our products or in the resolution of problems on your conveyor belt, benefit from our **HOTLINE service** in real time.

Call Narviflex: +32 14 59.11.31





Narviflex Liesdonk 7 B-2440 Geel

B-2440 Geel Belgium Tel: +32 14 59.11.31 E-Mail: info@narviflex.be



mlt.narviflex.be

